

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: <http://unispectr.nt-rt.ru/> || urc@nt-rt.ru

Микроскопы серии IV950

Технические характеристики

Inverted Microscopes

IV950 Series Inverted Microscopes

IV950 Series Inverted Microscopes are designed for Tissue Culture, Cell Biology, Microbiology and more. Featuring Binocular or Trinocular heads and Long Working Distance (LWD) objectives in your choice of Plan Achromat or Plan Phase Contrast. The over-sized stage offers precise and smooth ball-bearing movement, for clear, steady viewing while scanning the field of view. Precise fine focus controls move in 0.002 mm scale value increments. Phase Contrast models include a Centering Telescope.

LWD Plan Objectives Available:

Plan Achromat Brightfield: 4x, 10x, 20x and 40x

Plan Phase Contrast: 10x, 20x, and 40x

Specifications:

- Inverted microscope, 4-hole nosepiece
- Binocular head inclined 45°, vertical Trinocular
- interpupillary Distance range: 50 -75 mm
- Bright 12 Volt / 30 Watt Halogen Bulb
- Intensity Rheostat for lighting control
- Plan Achromat, or Plan Phase Objectives
- 10x Extra-Widefield eyepieces, paired
- Left eyetube with Diopter focus control
- Optional cross-hair Reticule, 0.1mm scale
- Stage Size: 242 mm x 172 mm
- Graduated Mechanical Stage, low position controls
- Center Stage ring diameter is 110 mm
- Centering Telescope included with Phase models
- Filters: Blue, Green, Yellow and Frosted



Trinocular head



Innovative and ergonomic design makes extended viewing comfortable.



Close-up of the inverted nosepiece and objectives.

Item No.	Description
IV951	Inverted Binocular, Plan Brightfield, 4x, 10x, 20x, 40x
IV951T	Inverted Trinocular, Plan Brightfield, 4x, 10x, 20x, 40x
IV952	Inverted Binocular, Brightfield Plan, 4x, & 10x, Phase 20x and 40x
IV952T	Inverted Trinocular, Brightfield Plan, 4x, & 10x, Phase 20x and 40x
IV953	Inverted Binocular, Brightfield Plan, 4x, Phase 10x, 20x and 40x
IV953T	Inverted Trinocular, Brightfield Plan, 4x, & Phase 10x, 20x and 40x
IV950-7007	12 Volt / 30 Watt Halogen Bulb, 2 pin
IV950-8020	C-Mount Camera Adapter for Trinocular models
IV950-1501	10x Widefield Eyepiece, FN 20, single
IV950-1502	10x Widefield Eyepiece, FN 23, single
IV950-8901	Cross-Hair Reticule with 0.1 mm scale

	IV951	IV951T	IV952	IV952T	IV953	IV953T
Head	Binocular	Trinocular	Binocular	Trinocular	Binocular	Trinocular
Eyepiece	10X WF(2)	10X WF(2)	10X WF(2) and centering eyepiece	10X WF(2) and centering eyepiece	10X WF(2) and centering eyepiece	10X WF(2) and centering eyepiece
Brightfield Objectives	4,10,20,40X Plan	4,10,20,40X Plan	4,10X Plan	4,10X Plan	4X Plan	4X Plan
Phase Objectives	None	None	20,40X Plan Phase	20,40X Plan Phase	10,20,40X Plan Phase	10,20,40X Plan Phase
Condenser	NA 0.65	NA 0.65	NA 0.65	NA 0.65	NA 0.65	NA 0.65
Diaphragm	Iris	Iris	Iris	Iris	Iris	Iris
Stage	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Illumination	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
Bulb	12 Volt/30 Watt	12 Volt/30 Watt	12 Volt/30 Watt	12 Volt/30 Watt	12 Volt/30 Watt	12 Volt/30 Watt
Focusing	Coaxial	Coaxial	Coaxial	Coaxial	Coaxial	Coaxial

Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

Единый адрес для всех регионов: <http://unispectr.nt-rt.ru/> || urc@nt-rt.ru